VOLUME 15, 1972

CONTENTS

Number 1 — issued July 1972

MENON, N. R., Heat tolerance, growth and regeneration in three North Sea bryozoans exposed to different constant temperatures. 1

FURCH, K., Der Einfluß einer Vorbehandlung mit konstanten und wechselnden Temperaturen auf die Hitzeresistenz von *Gammarus salinus* und *Idotea balthica*. [The influence of pretreatment with constant and fluctuating temperatures on the heat resistance of *Gammarus salinus* and *Idotea balthica*]. 12

PATRIQUIN, D. G., The origin of nitrogen and phosphorus for growth of the marine angiosperm *Thalassia testudinum*. 35

BOUCHER, J. et A. THIRIOT, Zooplancton et micronecton estivaux des deux cents premiers mètres en Méditerranée Occidentale. [Summer zooplankton and micronekton in the first two hundred meters of the western Mediterranean]. 47

BEKLEMISHEV, C. W., A. A. NEYMAN, N. V. PARIN et H. J. SEMINA, Le biotope dans le milieu marin. [The biotope in the marine environment]. 57

SARAIVA, M. C., Effet de l'irradiation gamma (cobalt 60) sur les cultures d'une chlorophycée, *Dunaliella bioculata*. [Influence of gamma radiation (cobalt 60) on cultures of a chlorophyte, *Dunaliella bioculata*]. 74

MOEBUS, K.: Bactericidal properties of natural and synthetic sea water as influenced by addition of low amounts of organic matter. 81

RÖTTGER, R. and W. H. BERGER, Benthic Foraminifera: morphology and growth in clone cultures of *Heterostegina depressa*. 89

Number 2 — issued July 1972

KARPLUS, I., R. SZLEP and M. TSURNAMAL, Associative behavior of the fish *Cryptocentrus cryptocentrus* (Gobiidae) and the pistol shrimp *Alpheus djiboutensis* (Alpheidae) in artificial burrows. 95

RUŽIĆ, I., Two-compartment model of radionuclide accumulation into marine organisms. I. Accumulation from a medium of constant activity. 105

PERRY, M. J., Alkaline phosphatase activity in subtropical Central North Pacific waters using a sensitive fluorometric method. 113

DIAZ, H. and J. D. COSTLOW: Larval development of *Ocypode quadrata* (Brachyura: Crustacea) under laboratory conditions. 120

DELLA CROCE, N. and P. VENUGOPAL, Distribution of marine cladocerans in the Indian Ocean. 132

WIEBE, P. H. and L. D'ABRAMO, Distribution of euphausiid assemblages in the Mediterranean Sea. 139

RÖTTGER, R.: Die Kultur von *Heterostegina depressa* (Foraminifera: Nummulitidae). [The culture of *Heterostegina depressa* (Foraminifera: Nummulitidae)]. 150

THEEDE, H., Vergleichende ökologisch-physiologische Untersuchungen zur zellulären Kälteresistenz mariner Evertebraten. [Comparative eco-physiological studies on cellular cold resistance of marine invertebrates]. 160

Number 3 — issued August 1972

QASIM, S. Z. and V. N. SANKARANARAYANAN, Organic detritus of a tropical estuary. 193

ALEEM, A. A.: Effect of river outflow management on marine life. 200

MASSÉ, H., Quantitative investigations of sand-bottom macrofauna along the Mediterranean northwest coast. 209

HAQ, S. M., Breeding of *Euterpina acutifrons*, a harpacticid copepod, with special reference to dimorphic males. 221

CASTILLA, J. C., Avoidance behaviour of *Asterias rubens* to extracts of *Mytilus edulis*, solutions of bacteriological peptone, and selected amino acids. 236

GORDON, M. S., Comparative studies on the metabolism of shallow-water and deep-sea marine fishes. II. Red-muscle metabolism in shallow-water fishes. 246

SORGELOOS, P. and G. PERSOONE, Three simple culture devices for aquatic invertebrates and fish larvae with continuous recirculation of the medium. 251

RAFAIL, S. Z., Fitting a parabola to growth data of fishes and some applications to fisheries. 255

Number 3 — issued August 1972 (continued)

SCHMIDT, H., Bionomische Studien an mediterranen Anthozoen: die Anthozoenfauna des Strombolicchio (Äolische Inseln). [Bionomic studies on Mediterranean anthozoans: the anthozoan fauna of Strombolicchio (Aeolic Islands)]. 265

SCHMIDT, H.-E., *Allorathkea ankeli* n. gen. n. sp. und *Thamnostoma eilatensis* n. sp. — zwei neue Hydromedusen (Anthomedusae: Hydrozoa) aus dem Roten Meer. [*Allorathkea ankeli* n. gen. n. sp. and *Thamnostoma eilatensis* n. sp. — two new hydromedusae (Anthomedusae: Hydrozoa) from the Red Sea]. 279

SCHMINKE, H. K., *Hexabathynella halophila* gen. n., sp. n. und die Frage nach der marinen Abkunft der Bathynellacea (Crustacea: Malacostraca). [*Hexabathynella halophila* gen. n., sp. n. and the problem concerning the marine origin of the Bathynellacea (Crustacea: Malacostraca)]. 282

Number 4 — issued August 1972

COOKSEY, K. E. and B. COOKSEY, Turnover of photosynthetically fixed carbon in reef corals. 289

WEBER, J. N. and P. M. J. WOODHEAD, Stable isotope ratio variations in non-scleractinian coelenterate carbonates as a function of temperature. 293

MANGUM, C. P., M. J. OAKES and J. M. SHICK, Rate-temperature responses in scyphozoan medusae and polyps. 298

EMIG, C. C., C. HERBERTS et B. A. THOMASSIN, Sur l'association de *Phoronis australis* (Phoronida) avec *Cerianthus maua* (Ceriantharia) dans les zones récifales de Madagascar. [On the association of *Phoronis australis* (Phoronida) with *Cerianthus maua* (Ceriantharia) in the coral reefs of Madagascar]. 304

BOFFI, E., Ecological aspects of ophiuroids from the phytal of S. W. Atlantic Ocean warm waters. 316

JANGOUX, M., C. PERPEET and D. CORNET, Contribution à l'étude des poches stomacales d'*Asterias rubens* (Echinodermata: Asteroïdea). [Contribution to the study of the stomachal pockets of *Asterias rubens* (Echinodermata: Asteroïdea)]. 329

VORONINA, N. M., The spatial structure of interzonal copepod populations in the Southern Ocean. 336

FARMER, A. S., A bilateral gynandromorph of *Nephrops norvegicus* (Decapoda: Nephropidae). 344

GRUFFYDD, LL. D. and A. R. BEAUMONT, A method for rearing *Pecten maximus* larvae in the laboratory. 350

GRANMO, Å., Development and growth of eggs and larvae of *Mytilus edulis* exposed to a linear dodecylbenzenesulphonate, LAS. 356

MAHDI, M. A., Hematological studies on some Nile fishes, *Tilapia nilotica*, *Lates niloticus*, and *Labeo niloticus*. 359